9000186

# THEE UNITED SHAMES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COMES

### Pioneer Gi-Bred International, Inc.

Taltereas, there has been presented to the

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-LUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, MPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT Y THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

193111

In Lestimony Wincrcot, I have hereunto set my hand and caused the seal of the Blant Taxiety Protection Office to be affixed at the City of Washington, D.C.

this 29th day of July in the year of our Lord one thousand nine hundred and ninety-four.

Plant Variety Protection Office Agricultural Marketing Service Cline Ess

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE					FORM APPROVED: OMB NO, 0581-0055 Application is required in order to determine if a plant variety protection certificate is to		
APPLICATION FOR PLANT VAF	RIETY PROTE	ECTION CE	RTIFICATE	be iss held	ued (7 U.S.C. 2421). Information is confidential until certificate is issued S.C. 2426).		
1. NAME OF APPLICANT(S) 2. TEMPORARY DESIGNATION				3. VARIETY NAME			
Pioneer Hi-Bred International,	, Inc.				-9311		
4. ADDRESS (Street and No. or R.F.D. No., City, S. 700 Capital Square 400 Locust Street	tate, and Zip Code,			PVPC	FOR OFFICIAL USE ONLY O NUMBER		
Des Moines, IA 50309			70-3300	<u> </u>	9000186		
Glycine Max	7. FAMILY NA		ME (Botanical)		TIME DAM. DRM.		
8. KIND NAME	9	. DATE OF DE	TERMINATION	$\vdash$	AMOUNT FOR FILING		
Soybean	October 1984		1984 1988(increase	CEIVED	s 2/50 DATE Man 29, 1990		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.)			FEES REC	AMOUNT FOR CERTIFICATE \$ 250.00			
Corporation				L.	July 8, 1994		
11. IF INCORPORATED, GIVE STATE OF INCORPORATION  IOWA				DATE OF INCORPORATION / 1926 N AND RECEIVE ALL PAPERS			
7301 NW 62nd Ave., P.O. Box 85 Johnston, IA 50131-0085  14. CHECK APPROPRIATE BOX FOR EACH ATTA a. XX Exhibit A, Origin and Breeding History of b. XX Exhibit B, Novelty Statement. c. XX Exhibit C, Objective Description of Variety Exhibit D, Additional Description of Variety Exhibit E, Statement of the Basis of App. 15. DOES THE APPLICANT(S) SPECIFY THAT SEISED? (See Section 83(a) of the Plant Variety Property of the Plant Variety Property P	ACHMENT SUBMI of the Variety (Sec ety (Request form riety. blicant's Ownershi	JO TTED e Section 52 of from Plant Va p. HETY BE SOLD	riety Protection Offic	501: a code tection	/: Act.)  Y AS A CLASS OF CERTIFIED		
16. DOES THE APPLICANT(S) SPECIFY THAT TH LIMITED AS TO NUMBER OF GENERATIONS	IS VARIETY BE	17. IF " BEY	YES" TO ITEM 16, W	HICH D7	CLASSES OF PRODUCTION		
Yes XX No		F	oundation		egistered Certified		
18. DID THE APPLICANT(S) PREVIOUSLY FILE  19. HAS THE VARIETY BEEN RELEASED, OFFE					Yes (If "Yes," give date)  No  R COUNTRIES ?  Yes (If "Yes," give name of countries and dates)  No		
20. The applicant(s) declare(s) that a viable sam plenished upon request in accordance with s	ple of basic seed	ls of this varie	ty will be furnished	with			
The undersigned applicant(s) is (are) the ow distinct, uniform, and stable as required in S Variety Protection Act.	ner(s) of this sex	kually reprodu	iced novel plant var	iety, a provi	and believe(s) that the variety is issions of Section 42 of the Plant		
Applicant(s) is (are) informed that false rep	resentation herei	n can jeopard	ize protection and t	<del></del>			
James E. Miller				D	5/11/90		
SIGNATURE OF APPLICANT	<u> </u>			0.	ATE /		

Attachment: 9311 Soybean (March, 1990)

Exhibit A:

Variety 9311 evolved from a cross of variety A1937 x variety A3127. It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9311 was grown in Iowa during the summer of 1984. Subsequently, 9311 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Seed hila of variety 9311 are black in color, and under certain environmental conditions may appear gray in color. When seeds of this type are planted, they produce plants having seeds with black hila.

Six acres of 9311 (breeders seed) were grown in 1988. 145 acres of parent seedstock (foundation seed equivalent) were grown in 1989.

Exhibit B:

Variety 9311 most closely resembles varieties Century, Pella, 9301, 9331, and A3127. All of these varieties have purple flowers, tawny pubescence and yellow seeds with black hila. However, Century and Pella exhibit a low seed coat protein peroxidase activity, whereas 9311 has high peroxidase activity. 9301 and A3127 exhibit tan pod wall color, whereas 9311 has brown pod wall color. Also, 9331 is resistant to phytophthora rot races 1-3, 6-11, and 13-15 [caused by Phytophthora megasperma (Drechs.) var. sojae A.A. Hildebrand], whereas 9311 is susceptible to phytophthora rot.

Exhibit E:

Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9311, for which it solicits a certificate of protection.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

## OBJECTIVE DESCRIPTION OF VARIETY

	SOYBEA	N (Glycine max L.)	
NAN	ME OF APPLICANT(S)	TEMPORARY DESIGNATION	ARIETY NAME
Pic	neer Hi-Bred International, Inc.		9311
	RESS (Street and No., or R.F.D. No., City, State, and Zip Code		FOR OFFICIAL USE ONLY
	Capital Square	F	PVPO NUMBER
	Locust Street Moines, IA 50309		9000186
in yo Stari	ose the appropriate response which characterizes the variour answer is fewer than the number of boxes provided, ped characters ** are considered fundamental to an adequation is available.	place a zero in the first box who	en number is 9 or less (e.g., 0 9).
	ED SHAPF:		
	7		
1	]	T	
	1 = Spherical (t/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		/W ratio > 1.2; L/T ratio = < 1.2) T ratio > 1.2; T/W > 1.2)
2. SE	ED COAT COLOR: (Mature Seed)		
	1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Sp	pecify)
3. SE	ED COAT LUSTER: (Mature Hand Shelled Seed)		
1	1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy	; 'Gasoy 17')	
4. SE	ED SIZE: (Mature Seed)		
1 6	Grams per 100 seeds		
5, HIL	.UM COLOR: (Mature Seed)		
6	1 = Buff 2 = Yellow 3 = Brown 4 =	Gray 5 = Imperfect Black	6 = Black 7 = Other (Specify)
6. CO	TYLEDON COLOR: (Mature Seed)		
1	1 = Yellow 2 = Green		
7. SEE	D PROTEIN PEROXIDASE ACTIVITY:		The second secon
2	1 = Low 2 = High		
8. SEE	D PROTEIN ELECTROPHORETIC BAND:		
	1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		
9. HYP	OCOTYL COLOR:		
3	1 = Green only ('Evans'; 'Davis') 2 = Green with b 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Co	onze band below cotyledons ('Wooker Hampton 266A')	odworth'; 'Tracy')
O. LEA	FLET SHAPE:		
3	1 = Lanceolate 2 = Oval 3 = Ovate	4 = Cther (Specify)	

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

	7000186
11. LEAFLET SIZE:	
1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF COLOR:	
1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Brax 3 = Dark Green ('Gnome'; 'Tracy')	ton')
<u> </u>	
★ 13. FLOWER COLOR:  2 1 = White 2 = Purple 3 = White with purple throat	
★ 14. POD COLOR:	***
2 = Brown 3 = Black	
★ 15. PLANT PUBESCENCE COLOR:	
2 = Brown (Tawny)	
16. PLANT TYPES:	
1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
★ 17. PLANT HABIT:	
1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
★ 18. MATURITY GROUP:	
0 6 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	7 = IV 8 = V
19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
BACTERIAL DISEASES:	
* Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
Bacterial Blight (Pseudomonas glycinea)	
★ 0 Wildfire (Pseudomonas tabaci)	and the second of the second o
FUNGAL DISEASES:	
Brown Spot (Septoria glycines)	•
Frogeye Leaf Spot (Cercospora sojina)	
★ 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5	Other (Specify)
Target Spot (Corynespora cassiicola)	
Downy Mildew (Peronospòra trifoliorum var. manshurica)	
O Powdery Mildew (Microsphaera diffusa)	
★ 0 Brown Stem Rot (Cephalosporium gregatum)	
Stem Canker (Diaporthe phaseolorum var, caulivora)	· // // // // // // // // // // // // //

19	DISEASE REACT	ION: (Enter 0 = Not Tested; 1 = Susceptible; 2					
			* Resistant) (Continued)				
•		ASES: (Continued)					
	O Pod and	Stem Blight (Diaporthe phaseolorum var; sojae)					
	Purple Se	ed Stain (Cercospora kikuchii)					
	0 Rhizocto	nia Root Rot (Rhizoctonia solani)					
	Phytopht	hora Rot (Phytophthora megasperma var. sojae)					
*	Race 1	1 Race 2 0 Race 3 0	Race 4 0 Race 5	0 Race 6	0 Race 7		
	0 Race 8	O Race 9 Other (Specify)	: :				
٠	VIRAL DISEAS	ES:					
	0 Bud Bligh	t (Tobacco Ringspot Virus)					
	0 Yellow Mi	osaic (Bean Yellow Mosaic Virus)	*				
*		losaic (Cowpea Chlorotic Virus)					
	$\overline{\Box}$	e (Bean Pod Mottle Virus)					
•							
		le (Soybean Mosaic Virus)					
٠	NEMATODE DIS	·					
	Soybean C	yst Nematode (Heterodera glycines)	· ·				
*	0 Race 1	0 Race 2 0 Race 3 0	Race 4 Other (	Specify)			
	0 Lance Nem	natode (Hoplolaimus Colombus)			-		
*	0 Southern F	Root Knot Nematode (Meloidogyne incognita)					
*	0 Northern F	Root Knot Nematode (Meloidogyne Hapla)					
	0 Peanut Roo	ot Knot Nematode (Meloidogyne arenaria)			•		
	Reniform N	Nematode (Rotylenchulus reniformis)					
		SEASE NOT ON FORM (Specify):					
	<u> </u>			, , , , , , , , , , , , , , , , , , , ,			
20. F	HYSIOLOGICAL F	RESPONSES: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)	<del></del>			
*	1 Iron Chloro	sis on Calcareous Soil					
	Other (Spec	ify)			}¥*		
21. 1	NSECT REACTION	: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)				
Mexican Bean Beetle (Epilachna varivestis)							
O Potato Leaf Hopper (Empoasca fabae)							
		ify)					
	<del></del>				·		
	· · · · · · · · · · · · · · · · · · ·	ARIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED.				
	CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF V	/ARIETY		
•	ant Shape	A3127	Seed Coat Luster	A3127			
	af Shape	A3127	Seed Size	9331			
	af Color	A3127	Seed Shape	A3127			
Le	af Size	A3127	Seedling Pigmentation	A3127	<i></i>		
					I		

#### 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY		PLANT LODGING	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
		SCORE		CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9311									<u> </u>
Submitted	132.0	2.4	104					·	
A3127 Name of Similar Variety	134.5	2.2	100					·	

#### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.